

H. C. DAVIS SONS Manufacturing Co., Inc.

www.hcdavis.com

info@hcdavis.com



TRAILER MOUNTED MIXERS



SD-30TR

Super Duty mixer with 115 cubic feet of mixing capacity. Trailer mounted and PTO driven. Complete with unloading auger driven by hydraulic motor. Three point scale with summing junction box and digital indicator for weighing ingredients as they enter the mixer. Shown with protective guards removed.

Hydraulics can be remote controlled within your truck or tractor.

Built for Mixing a Variety of Materials including:

Livestock feeds including: silage, hay, liquid molasses, corn, oats, wheat, milo, barley, brewer's grains, dried distiller's grain, and more.

Potting Soil containing: sand, dirt, peat, bark, wood chips, chemicals, fertilizers, pumice, coir fiber, perlite, and manure.

Plus many more materials can be mixed. Contact us for more details.

HD-40TR

Trailer mounted and PTO driven Heavy Duty mixer with 150 cubic feet of mixing capacity. Includes folding augers for unloading the mixer. The augers are driven by two separate hydraulic motors. Folding action is powered by hydraulic cylinder and stows away over the top of the mixer for transport. Shown with protective guards removed.



Ask about our 3-point and 4-point electronic scales with digital indicator!

The drag and auger combination makes it possible for one machine to do two jobs...deliver roughage rations to bunks and grain rations into self feeders.

HD60TRSSA

Heavy Duty mixer with 180 cubic feet of mixing capacity and a single side auger for breaking up high roughage rations. Includes two unloading options—a drag auger and a swinging pivot auger. Shown with protective guards removed.



The swinging pivoting auger delivers grain rations into self feeders or bins.

The double chain drag quickly discharges high roughage rations into bunks.




Model S30-TR


Standard Duty Soil mixer with 4.2 cubic yards of mixing capacity, PTO driven, with high legs and side discharge for planting tree pails. Shown with protective guards removed.

H.C. DAVIS SONS—The most trusted source for feed and soil mixing.

TAKE ADVANTAGE OF OUR EXPERIENCE



**PROUDLY BUILT IN
THE U.S.A. FOR OVER
FOUR GENERATIONS**



P) 913.422.3000

F) 913.422.7220



H. C. DAVIS SONS Manufacturing Co., Inc.

www.hcdavis.com

info@hcdavis.com



Ultimate Duty Model UD30TR
 with 115 cubic feet of mixing capacity,
 driven by hydraulic motor, with highway
 rated wheels/tires, spindles/hubs, brake
 lights, flashers, decals, safety chain, and
 tongue.
 Shown with protective guards.

MODEL	10TR	20TR	30TR	40TR	60TR	80TR	100TR
MIXING CAPACITY:							
Cubic Feet	60	90	115	175 / 150	200 / 180	300 / 250	400 / 330
Cubic Yards	2.2	3.3	4.2	6.5 / 5.6	7.4 / 6.7	11 / 9.3	15 / 12
MIXING CAPACITY IN POUNDS ON INGREDIENTS AVERAGING:							
35# per cu. ft.	2,100	3,150	4,025	6,125 / 5,250	7,000 / 6,300	10,500 / 8,750	14,000 / 11,550
30# per cu. ft.	1,800	2,700	3,450	5,250 / 4,500	6,000 / 5,400	9,000 / 7,500	12,000 / 9,900
25# per cu. ft.	1,500	2,250	2,875	4,375 / 3,750	5,000 / 4,500	7,500 / 6,250	10,000 / 8,250
20# per cu. ft.	1,200	1,800	2,300	3,500 / 3,000	4,000 / 3,600	6,000 / 5,000	8,000 / 6,600
HORSEPOWER OF TRACTOR REQUIRED	20 - 30	20 - 30	30 - 40	60 - 75	80 - 100	80 - 100	100 - 150